



United States Department of Agriculture
Natural Resources Conservation Service

Water Quality and Wildlife Enhancement Activity –ANM07- Extending Existing Field Borders for Water Quality Protection and Wildlife Habitat



Extend existing field borders.

Where existing field borders are utilized, extend them to gain more efficiency in intercepting overland flow and reducing the transport of nutrients, pesticides and agro-chemicals.

Land Use Applicability

This enhancement is applicable on cropland and pasture land.

Benefits Widening existing field borders that currently meet NRCS conservation practice standard criteria can provide food and cover for native and game species as well as enhancing wildlife habitat. Additionally, these extended field borders offer more surface area to filter out sediments and agro-chemicals.

Wildlife species utilize transition zones between agricultural fields because they provide a unique combination of cover and often provide important travel corridors. Often times field borders are adjacent to riparian areas and are important for contributing clean water, and habitat areas near by. Extending existing field borders not only enhances wildlife habitat but it increases the effectiveness of water quality protection if the border is next to a stream.

Criteria for Extending Existing Field Borders

Existing field borders must meet minimum state requirements for width. Extend the existing buffer for a total of 60 feet or more to enhance habitat and water quality functions.

The extended field borders must be composed of at least 5 species of non-noxious, wildlife friendly grasses and/or perennial forbs best suited to site conditions. Include species that provide pollinator food and habitat where possible.

- All site preparation and plant establishment shall be accomplished according to the appropriate NRCS conservation practice standard criteria and specifications.
- Any use of the field border must not compromise its intended purpose.
- To the extent possible the field border areas and extended field border areas will be vegetated to increase overland flow interception and increase water quality values if they also border a stream or water body.



United States Department of Agriculture
Natural Resources Conservation Service

Operation and Maintenance:

- Once established, field borders must not be mowed, disked, grazed, or otherwise disturbed, until after the primary wildlife ground nesting period has ended.
- Field border will be regularly maintained for its intended purpose through the life of the contract. This includes any removal of vegetation, including grazing.
- Grazing is allowed if a grazing management plan is used that protects the integrity, diversity and function of the riparian area.
- Field borders will have a wildlife management plan to maintain established plant communities through the life of the contract. The wildlife plan will maintain the plant community and its structural diversity and provide habitat for intended species.

Documentation Requirements

1. A map showing the location and size of enhanced field borders.
2. Documentation of the type and rates of vegetation planted in the new field borders.



Water Quality and Wildlife Enhancement Activity – ANM07 – *Extending Existing Field Borders for Water Quality Protection and Wildlife Habitat*

Reference:

645 – Upland Wildlife Habitat Management

- ***Biology Jobsheet 9 – Establishment of Native Grasses and Forbs***

643 – Restoration and Management of Declining Habitats

- ***Biology Jobsheet 12 – Tall Grass Prairie***

386 – Field Border

The extended field borders must be composed of at least 5 species of non-toxic, wildlife friendly grasses and/or perennial forbs best suited to site conditions.

NATIVE GRASSES, FORBS AND LEGUMES

Native grass seed origin shall be within a 200 mile radius of the project site, unless otherwise identified as an acceptable cultivar.

The following are native grasses that are considered wildlife friendly:

- | | |
|--------------------|--------------------|
| Big Bluestem | Western Wheatgrass |
| Indiangrass | Blue Grama |
| Green Needlegrass | Switchgrass |
| Little Bluestem | Canada Bluejoint |
| Sideoats Grama | Prairie Cordgrass |
| Prairie Sandreed | Virginia Wildrye |
| Canada Wildrye | Kalms Brome |
| Slender Wheatgrass | |



FORBS AND LEGUMES

Forbs and legumes with origins native to Minnesota are preferred. When local Minnesota seed sources are not available, native forbs and legume seed shall originate from Wisconsin, northern Nebraska, North Dakota, South Dakota, northern Iowa, and the Canadian provinces of southern Manitoba and Ontario. If the true origin of the seed can be certified as one of the accepted states or provinces, then there would be no restriction on where the seed is grown. Certification must be provided by the grower, and responsibility for obtaining certification rests with the producer.

The following list identifies native forbs and wildflowers beneficial to upland wildlife and native habitat restoration. The list is not inclusive, and identifies those species, which are readily available through private vendor seed supplies.

DRY	MESIC to WET	DRY to WET
Bush Clover	Canada Tick Trefoil	Black-eyed Susan
Dotted Blazingstar	Common Ox-eye	Illinois Bundleflower
Purple Coneflower	Giant Sunflower	Purple Prairie Clover
Showy Penstemon	Golden Alexanders	Maximillian Sunflower
Silky Aster	Partridge Pea	Stiff Goldenrod
DRY to MESIC	Rattlesnake Master	Yarrow
Butterfly Weed	Tall Blazingstar	
Compass Plant	Wild Bergamot	
Hoary Vervain	Yellow Coneflower	
Leadplant	WET	
Prairie Smoke	Blue Vervain	
Rough Blazingstar	Boneset	
Showy Goldenrod	Joe-pye Weed	
Smooth Aster	New England Aster	
Stiff Tickseed	Panicled Aster	
	Swamp Milkweed	