

## Plant Enhancement Activity – PLT01 – Establish pollinator habitat



### Enhancement Description

Seed nectar and pollen producing plants in non-cropped areas such as field borders, vegetative barriers, contour buffer strips, waterways, shelterbelts, windbreaks, conservation cover, and riparian forest and herbaceous buffers.

### Land Use Applicability

Cropland, pastureland, rangeland and forestland

### Benefits

Increased habitat for pollinators will improve fruit set, size and quality, productivity per acre, biodiversity, beneficial insect populations, and the food base for many wildlife species. The increased plant diversity of pollinator habitat will enhance wildlife habitat and may increase populations of other beneficial insects, reducing the need for pesticides.

### Criteria

Pollinator habitat areas must be at least ½ acre in size for each 40 acres of cropland, pastureland, rangeland or forest land. Where the applicable land use is greater than 40 acres, the 0.5 acre habitat areas must be interspersed in the larger land use areas. For example, for an 80 acre cropland parcel, the required 1 acre of habitat should not be located in one corner of the 80 acre field. The pollinator habitat areas must include a minimum of nine flowering plant species including forbs, legumes, vines, shrubs, and/or trees.

1. Lists of plants suitable for pollinator habitat will be developed by NRCS at the state level. The lists must emphasize as many native species as practical.
2. The habitat planting will include (as a minimum) three early, three mid, and three late flowering species from the NRCS state list. Plants that produce toxic nectar will not be planted.
3. Site preparation and plant establishment shall be accomplished according to the appropriate NRCS conservation practice and specifications. Management and/or maintenance activities such as mowing, haying, burning, or grazing must be conducted outside of the growing season or bloom period. Maintenance should be done on less than 1/3 of the acreage during any given year.
4. Insecticides and herbicides should not be used in the habitat planting area. Even natural herbicides and botanical insecticides can harm bees and other pollinators. If adjacent crop areas are treated use one or more of the following actions to limit insecticides in the pollinator habitat area:
  - a. Create insecticide free buffers in the first 25 feet of crop area,
  - b. Use application methods that minimizing drift to the adjacent habitat,

- c. Apply active ingredients in the evening when most insect pollinators are not active.
5. The planted habitat areas must be regularly inspected for invasive and/or noxious plants or other plants that may compromise the purpose of this enhancement. Undesirable species should be controlled using the least damaging method.
6. Any use of the pollinator habitat area must not compromise its intended purpose.

**Documentation Requirements**

1. A map showing the location and dimension of the pollinator habitat areas
2. A list of pollinator species planted
3. List of maintenance activities carried out to manage the pollinator habitat areas



Plant Enhancement Activity – PLT01 – *Establish Pollinator Habitat*

**Reference:**

**645 – Upland Wildlife Habitat Management**

- **Biology Jobsheet #16: Native Habitat Development for Pollinators**

RECOMMENDED FORB SPECIES	Value to Pollinators	Flowering Season Early = April – June Mid = June – August Late = August - October
<b>DRY</b>		
Bush Clover	G	July - August
Dotted Blazingstar	EX	July - September
Purple Coneflower	EX	June - July
Showy Penstemon	EX	May - June
Silky Aster	EX	August - October
White Prairie Clover	EX	June - September
<b>DRY to MESIC</b>		
Butterfly Weed	G	June - August
Culvers Root	EX	June - August
Evening Primrose	G	May - August
Leadplant	EX	July - September
Rough Blazingstar	EX	July - September
Showy Goldenrod	G	August - September
Smooth Aster	EX	August - October
Stiff Tickseed	EX	May - August
<b>MESIC to WET</b>		
Canada Tick Trefoil	G	July - August
Common Ox-eye	EX	June - August
Giant Sunflower	EX	July - October
Golden Alexanders	G	June - July
Partridge Pea	EX	July - September
Tall Blazingstar	EX	July - September
Wild Bergamot	EX	May - August
Yellow Coneflower	EX	July - September
<b>WET</b>		
Boneset	EX	August - September
Cup Plant	G	July - September
Joe-pye Weed	G	July - September
New England Aster	EX	September - October
Panicled Aster	G	August - October
Swamp Milkweed	G	June - July

The USDA is an equal opportunity provider and employer.

<b>DRY to WET</b>		
Illinois Bundleflower	G	June - August
Purple Prairie Clover	EX	June - August
Maximillian Sunflower	EX	July - October
Stiff Goldenrod	EX	August - September
<b>RECOMMENDED WOODY SPECIES</b>		
American Plum	EX	April - May
Button Bush	EX	June - August
Chokecherry	EX	April - May
Dogwoods	G	May - July
False Indigo	EX	June - August
New Jersey Tea	EX	June - August
Wild Rose	EX	June - July
Willow, Pussy or Black	EX	April - May
<b>RECOMMENDED GRASSES</b>		
Big Bluestem	EX	
Indiangrass	EX	
Little Bluestem	EX	
Prairie Dropseed	EX	
Sideoats Grama	EX	